



HPVA LABORATORIES  
1825 Michael Faraday Drive Reston, VA [www.hpva.org](http://www.hpva.org)



# Certificate of CARB Compliance

HPVA recognizes the following mill's production as certified to meet all requirements established in Section 93120.2, title 17, California Code of Regulations, Final Regulation Order, *Airborne Toxic Control Measure to Reduce Formaldehyde Emissions from Composite Wood Products (ATCM)*. The following products, as defined by the facilities Quality Control Manual, may now carry the HPVA TPC-8 label. This facility has demonstrated conformance and commitment to the quality control procedures and testing requirements necessary to ensure production meets the ATCM requirements for the following hardwood plywood products.

## Columbia Forest Products

21 Balzer Road

Kitchener, ON N2C1X5 Canada

### Scope of Certification:

Hardwood Plywood: Veneer Core (PVA – NAF Core) – CARB Phase 2  
Composite Core (PVA – ULEF Core) – CARB Phase 2  
Composite Core (PVA – NAF Core) – CARB Phase 2

\*For current exemption status, please visit: [https://www.arb.ca.gov/toxics/compwood/naf\\_ulef/listofnaf\\_ulef.htm](https://www.arb.ca.gov/toxics/compwood/naf_ulef/listofnaf_ulef.htm)

Effective date of certification:  
**March 9<sup>th</sup>, 2017**

**Brian T. Sause**  
Director – HPVA Laboratories